


# PARAPROJECT®

## Case i10 Typ-C

Protect , Charge , Sync , Transport , Flex2Connect



|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Part denomination           | PARAPROJECT Case i10 Typ-C Charge&Sync, includes USB-A to USB-C® cable with LED, 1.2 m                                                                                                                                                                                                                                                                                                                                                                           |
| Part number                 | 208642151                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| GTIN /EAN                   | 4006793003415                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Field of application        | Education                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Certificates                | CE / REACH / RoHS                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Applicable standards        | DIN EN 60950-1, DIN EN 55022, DIN EN 55035                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Scope of delivery           | <ul style="list-style-type: none"> <li>- PARAPROJECT® Case i10</li> <li>- device connection cable, EU, length: 5 m</li> <li>- USB connection cable, length: 3 m</li> <li>- 10 data and charging cable USB-A to USB-C®</li> <li>- y-adapter, C14 plug with 1 IBM sockets (C5, 3-pin) and 1 EURO-8-socket (C7, 2-pin, AUX 1)</li> <li>- y-adapter, C14 plug with 1 Euroflat socket (2-pin) and 1 EURO-8-socket (C7, 2-pin, AUX 2)</li> <li>- user guide</li> </ul> |
| Materials                   | <ul style="list-style-type: none"> <li>- X-ABS plastic</li> <li>- industrial leather</li> <li>- Con-Pearl®</li> <li>- aluminium</li> </ul>                                                                                                                                                                                                                                                                                                                       |
| Transport                   | 4-fold telescopic handle / 2 carrying handles / combination lock / 4 smooth-running castors ø 75 mm (with 2 lockable castors)                                                                                                                                                                                                                                                                                                                                    |
| External dimensions (WxDxH) | 530 mm x 390 mm x 540 mm                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Weight                      | 12000 g                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Transport dimensions        | 560 mm x 410 mm x 550 mm                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Dimensions of euro-palettes | 1200 mm x 800 mm x 1860 mm                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Number of euro-pallet       | 12                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| customs tariff number       | 85044083                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Country of origin           | RO                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# PARAPROJECT®

## Case i10 Typ-C

Protect , Charge , Sync , Transport , Flex2Connect

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Fittings                    | <ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 10 storage compartments (W x D x H: 29 x 210 x 310 mm) for iPad/tablets</li> <li>- storage compartments (W x D x H: 28 x 235 x 260 mm) for master laptop</li> <li>- storage compartment for accessories such as access point, router and/or Apple TV</li> <li>- sync and charging unit</li> <li>- 10 data and charging cable USB-A to USB-C®</li> <li>- internal timer to set charge time limit</li> <li>- temperature sensor</li> <li>- 2 sockets for e.g. master laptop or access point</li> <li>- Case lid:</li> <li>- pocket with zipper, pocket with velcro fastener and push-in compartment with rubber loop</li> <li>- air vents in the lid and bottom tray</li> <li>- External technical equipment:</li> <li>- central power supply with protective cap</li> <li>- USB-B port for sync function</li> <li>- RJ 45 network socket for e.g. access point</li> <li>- 4-fold telescopic handle</li> <li>- 2 carrying handles</li> <li>- combination lock</li> <li>- 4 smooth-running castors ø 75 mm (with 2 lockable castors)</li> </ul> |
| Compatible devices          | All tablets that can be charged by USB-C®                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Max. number of devices      | 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Operating system            | iOS / Windows / Android                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Cable types for equipment   | data and charging cable USB-A to USB-C® ; y-adapter, C14 plug with 1 IBM sockets (C5, 3-pin) and 1 EURO-8-socket (C7, 2-pin, AUX 1) ; y-adapter, C14 plug with 1 Euroflat socket (2-pin) and 1 EURO-8-socket (C7, 2-pin, AUX 2)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Power supply                | central power supply for all devices                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Output power per port       | 2,4A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Optional accessories        | <ul style="list-style-type: none"> <li>- data and charging cable USB-C® to USB-C®</li> <li>- data and charging cable USB-C® to Lightning®</li> <li>- data and charging cable with LED display USB-A to Lightning®</li> <li>- data and charging cable USB-A to Lightning®</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Lock types                  | combination lock                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Connections                 | <ul style="list-style-type: none"> <li>- outside:</li> <li>- central power supply with protective cap</li> <li>- USB-B port for sync function</li> <li>- RJ 45 network socket for e.g. access point</li> <li>- optional: HDMI port</li> <li>- inside:</li> <li>- 10 USB-A ports for Flex2Connect</li> <li>- Y-Adapter Kabel, C14-Stecker auf 1 x IBM-Buchse (C5, 3-polig) und 1 x Euro-8-Buchse (C7, 2-polig, AUX 1)</li> <li>- Y-Adapter Kabel, C14-Stecker auf 1 x Euroflat-Buchse (2-polig) und 1 x Euro-8-Buchse (C7, 2-polig, AUX 2)</li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Data of currents            | - 100-240V, max. 3,6A, 50/60Hz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dimension of pockets        | 29 x 210 x 260 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Dimensions of other pockets | 28 x 235 x 320 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Color                       | black                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Case i10 Typ-C

Protect , Charge , Sync , Transport , Flex2Connect



- LED charging indicator



- sync and network connector