

# PARAPROJECT®

## Trolley i32 PRO

Charge , S , Tranport , Storage , Flex2Connect



|                             |  |
|-----------------------------|--|
| Part denomination           | PARAPROJECT Trolley i32 PRO Charge&Sync, includes USB-A to USB-C® cable with LED, 1.2 m  |
| Part number                 | 832540999  |
| GTIN /EAN                   | 4006793004122  |
| Field of application        | Education , Health Care  |
| Certificates                | CB / CE / GS / REACH / RoHS  |
| Applicable standards        | DIN EN 55022 / DIN EN 55035 / DIN EN 61000-3-2 / DIN EN 61000-3-3 / DIN EN 60950-1   |
| Scope of delivery           | <ul style="list-style-type: none"> <li>- PARAPROJECT® Trolley i32 PRO</li> <li>- device connection cable, EU, length: 3 m</li> <li>- data cable USB-A to USB-B, length: 1 m</li> <li>- 32 data and charging cable USB-A to USB-C®</li> <li>- user guide</li> </ul> |
| Materials                   | <ul style="list-style-type: none"> <li>- ABS plastic</li> <li>- powder-coated steel sheet</li> </ul>   |
| Transport                   | 4 smooth-running castors ø 120 mm (with 2 lockable castors) / 2 handles  |
| External dimensions (WxDxH) | 820 mm x 535 mm x 930 mm   |
| Weight                      | 72000 g  |
| Transport dimensions        | 835 mm x 585 mm x 1100 mm  |
| Dimensions of euro-pallets  | 835 mm x 585 mm x 1100 mm  |
| Number of euro-pallet       | 1  |
| customs tariff number       | 94037000   |
| Country of origin           | TW   |

# PARAPROJECT®

## Trolley i32 PRO

Charge , S , Tranport , Storage , Flex2Connect

|                             |   |
|-----------------------------|---|
| Fittings                    | <ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 32 storage compartments (W x D x H: 25 x 345 x 300 mm) for iPads / tablets</li> <li>- 32 USB-A ports</li> <li>- 32 data and charging cable USB-A to USB-C®</li> <li>- LED status charging indicator</li> <li>- Central power supply units (2 units in the technical compartment) with temperature sensor (overheating protection) and active fan</li> <li>- drawer for master laptop and accessories (W x D x H: 525 x 290 x 40 mm)</li> <li>- External technical equipment:</li> <li>- central power supply</li> <li>- main switch</li> <li>- 2 USB-B ports for sync function</li> <li>- RJ 45 network socket for e.g. access point</li> <li>- 3 Schuko sockets</li> <li>- media well</li> <li>- lockable compartment</li> <li>- 2 handles</li> <li>- retractable swing</li> <li>- lockable with padlock (not included in the scope of delivery)</li> <li>- 4 smooth-running castors ø 120 mm (with 2 lockable castors)</li> </ul> |
| Compatible devices          | All tablets that can be charged by USB-A , and all iPad Mini  |
| Max. number of devices      | 32  |
| Operating system            | iOS / Android / Windows   |
| Cable types for equipment   | data and charging cable USB-A to USB-C®   |
| Power supply                | central power supply for all devices  |
| Output power per port       | 2,4   |
| Optional accessories        | <ul style="list-style-type: none"> <li>- data and charging cable with LED display USB-A to Lightning®</li> <li>- data and charging cable USB-A to Lightning®</li> <li>- KidsCover</li> <li>- EDUCOVER®</li> </ul>   |
| Lock types                  | can be locked by a padlock  |
| Connections                 | <ul style="list-style-type: none"> <li>- Outside:</li> <li>- central power supply with protective cap</li> <li>- RJ 45 network socket for e.g. access point</li> <li>- USB-B port for sync function</li> <li>- 3 Schuko sockets</li> <li>- main switch</li> <li>- Inside:</li> <li>- 32 USB-A ports for Flex2Connect</li> <li>- patch cable with RJ 45 plug</li> </ul>  |
| Data of currents            | <ul style="list-style-type: none"> <li>- 100 - 240 V</li> <li>- max. 12 A</li> <li>- 50/60 Hz</li> </ul>  |
| Dimension of pockets        | 25 x 345 x 300 mm   |
| Dimensions of other pockets | 505 x 290 x 40 mm   |
| Color                       | white   |

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Trolley i32 PRO

Charge , S , Tranport , Storage , Flex2Connect



- master switch (on/off-switch)
- 2x USB 2.0 type B socket
- 3x SCHUKO socket outlet with on/off-switch



- 2x 16 USB 2.0 type A
- 1x patch cable with RJ 45 plug