


# PARAPROJECT®

## Case TC20 EDUCOVER®+/KidsCover

Protect , Charge , Transport



Part denomination	PARAPROJECT Case TC20 EDUCOVER®+/KidsCover TwinCharge, without cable
Part number	208726151
GTIN /EAN	4006793002999
Field of application	Education
Certificates	CE / REACH / RoHS
Applicable standards	DIN EN 60950-1 / DIN EN 55022 / DIN EN 55035
Scope of delivery	- PARAPROJECT® Case TC20 EDUCOVER®+/KidsCover with integrated TwinCharge modules technology - device connection cable, EU, length: 5 m - 4 TwinCharge modules with USB-A and USB-C® ports - user guide
Materials	- X-ABS plastic - aluminium - Con-Pearl® - industrial leather
Transport	4-fold telescopic handle / 2 carrying handles / combination lock / 4 smooth-running castors ø 75 mm (with 2 lockable castors)
External dimensions (WxDxH)	720 mm x 390 mm x 550 mm
Weight	13500 g
Transport dimensions	760 mm x 420 mm x 570 mm
Dimensions of euro-pallets	1200 mm x 800 mm x 1740 mm
Number of euro-pallet	12
customs tariff number	85044083
Country of origin	RO

# PARAPROJECT®

## Case TC20 EDUCOVER®+/KidsCover

Protect , Charge , Transport


Fittings	<ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 2 storage compartments (W x D x H: 275 x 290 x 330 mm) for 10 iPad/tablets each</li> <li>- 4 TwinCharge modules, automatic adjustment via USB-PD Power Delivery and QuickCharge standards</li> <li>- 20 USB-A and USB-C® ports each</li> <li>- temperature sensor</li> <li>- overvoltage protection</li> <li>- Case lid:</li> <li>- pocket with zipper, pocket with velcro fastener and mounting option for e.g. access point</li> <li>- air vents in the lid and bottom tray</li> <li>- External technical equipment:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- 4-fold telescopic handle</li> <li>- 2 carrying handles</li> <li>- combination lock</li> <li>- 4 smooth-running castors ø 75 mm (with 2 lockable castors)</li> </ul>
Compatible devices	all tablets up to 12" that can be charged by USB-C® or USB-A
Max. number of devices	20
Operating system	iOS / Android / Windows
Cable types for equipment	using customer's own USB-C® or USB-A data and charging cables
Power supply	4 TwinCharge modules for the complete power supply of devices
Output power per port	automatic adjustment via USB-PD Power Delivery and QuickCharge standards ; e.g. 20 iPad / Android tablet with 22 W each per port ; USB-C® and USB-A output (22 / 30 / 45 W): DC ; 5 V / 9 V / 12 V / 15 V -> 3 A, 20 V -> 2.25 A
Optional accessories	<ul style="list-style-type: none"> <li>- data and charging cable USB-C® to USB-C®</li> <li>- data and charging cable USB-C® to Lightning®</li> <li>- data and charging cable with LED display USB-A to Lightning®</li> <li>- data and charging cable USB-A to Lightning®</li> <li>- data and charging cable USB-A to USB-C®</li> <li>- KidsCover</li> <li>- EDUCOVER®</li> </ul>
Lock types	combination lock
Connections	<ul style="list-style-type: none"> <li>- Outside:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- Inside:</li> <li>- 20 USB-A and USB-C® ports each, optional depending on the existing charging type</li> </ul>
Data of currents	<ul style="list-style-type: none"> <li>- 100 - 240 V</li> <li>- max. 10 A</li> <li>- 50/60 Hz</li> </ul>
Dimension of pockets	2 Fächer mit 275 x 290 x 325 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)
Color	black

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Case TC20 EDUCOVER®+/KidsCover

Protect , Charge , Transport



- storage space for up to 20 hard covers
- TwinCharge technology



- main switch
- overvoltage protection