


# PARAPROJECT®

## Cube U10

Charge , Synchronisation , Storage



Part denomination	PARAPROJECT Cube U10 incl. USB-A to Lightning® cable
Part number	990.590-999
GTIN /EAN	4006793934993
Field of application	Education , Health Care
Certificates	CB / CE / GS / REACH / RoHS
Applicable standards	DIN EN 55022 / DIN EN 550356 / DIN EN 61000-3-2 / DIN EN 61000-3-3
Scope of delivery	<ul style="list-style-type: none"> <li>- PARAPROJECT® Cube U10</li> <li>- device connection cable, EU, length: 1,80 m</li> <li>- data cable USB-A to USB-B, length: 1 m</li> <li>- 10 data and charging cable USB-A to Lightning®, length: 0,4 m</li> <li>- theft protection incl. mounting material</li> <li>- user guide</li> </ul>
Materials	<ul style="list-style-type: none"> <li>- ABS plastic</li> <li>- powder-coated steel sheet</li> </ul>
Transport	2 integrated grips on both sides
External dimensions (WxDxH)	400 mm x 350 mm x 425 mm
Weight	1550 g
Transport dimensions	515 mm x 465 mm x 555 mm
Dimensions of euro-pallets	1200 mm x 800 mm x 1254 mm
Number of euro-pallet	6
customs tariff number	94037000
Country of origin	TW
Fittings	<ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 6 / 8 / 10 storage compartments (W x D x H: 28 / 37 / 52 x 250 x 280 mm) for iPads / tablets (with protective cover)</li> <li>- 10 USB-A ports</li> <li>- 10 data and charging cable USB-A to Lightning®</li> <li>- Temperature sensor</li> <li>- active fans</li> <li>- External technical equipment:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- ventilation openings on the side compartments and door</li> <li>- handle recesses on both sides</li> <li>- combination lock</li> <li>- cover panel made from steel</li> </ul>
Compatible devices	all iPad from generation 4 , all types of iPad Mini

# PARAPROJECT®

## Cube U10

Charge , Synchronisation , Storage

Max. number of devices	10
Operating system	iOS
Cable types for equipment	data and charging cable USB-A to Lightning®
Power supply	central power supply unit provides power for all devices
Output power per port	2,4 A
Optional accessories	- data and charging cable USB-A® to USB-C® - wall holder 990575999
Lock types	combination lock
Connections	- Outside: - central power supply with protective cap - USB-B port - main switch - Inside: - 10 USB-A ports
Data of currents	- 100 - 240 V - max. 2 A - 50/60 Hz
Dimension of pockets	28 / 37 / 52 x 250 x 280 mm
Color	white

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Cube U10

Charge , Synchronisation , Storage



- retractable panel with  
integrated combination lock



- ear panel with connections for  
power supply, synchronization  
via USB type B connector