

PARAPROJECT®

Case TC10 EDUCOVER®+/KidsCover

Protect , Charge , Transport



| | |
|-----------------------------|--|
| Part denomination | PARAPROJECT Case TC10 EDUCOVER®+/KidsCover TwinCharge, without cable, white |
| Part number | 208716170 |
| GTIN /EAN | 4006793003088 |
| Field of application | Education |
| Certificates | CE / REACH / RoHS |
| Applicable standards | DIN EN 60950-1 / DIN EN 55022 / DIN EN 55035 |
| Scope of delivery | - PARAPROJECT® Case TC10 with integrated TwinCharge modules technology - device connection cable, EU, length: 5 m - 2 TwinCharge modules with USB-A and USB-C® ports - user guide |
| Materials | - aluminium - ABS plastic / PMMA - Con-Pearl® |
| Transport | 4-fold telescopic handle / 2 carrying handles / combination lock / 4 smooth-running castors ø 75 mm (with 2 lockable castors) |
| External dimensions (WxDxH) | 530 mm x 390 mm x 495 mm |
| Weight | 9500 g |
| Transport dimensions | 540 mm x 400 mm x 530 mm |
| Dimensions of euro-pallets | 1200 mm x 800 mm x 1740 mm |
| Number of euro-pallet | 12 |
| customs tariff number | 85044083 |
| Country of origin | RO |

PARAPROJECT®

Case TC10 EDUCOVER®+/KidsCover

Protect , Charge , Transport

| | |
|---------------------------|--|
| Fittings | <ul style="list-style-type: none"> - Interior technical equipment: - storage compartment (W x D x H: 355 x 258 x 330 mm) for 10 iPads/tablets with KidsCover /EDUCOVER® ts - 2 TwinCharge modules, automatic adjustment via USB-PD Power Delivery and QuickCharge standards - 10 USB-A and USB-C® ports each - temperature sensor - overvoltage protection - Case lid: - napped foam - air vents in the lid and bottom tray - External technical equipment: - central power supply with protective cap - main switch - 4-fold telescopic handle - 2 carrying handles - combination lock - 4 smooth-running castors ø 75 mm (with 2 lockable castors) |
| Compatible devices | All tablets (also with thick protective cover) that can be charged by USB-C® or USB-A |
| Max. number of devices | 10 |
| Operating system | iOS / Android / Windows |
| Cable types for equipment | Using customer's own USB-C® or USB-A data and charging cables |
| Power supply | 2 TwinCharge modules for the complete power supply of devices |
| Output power per port | Automatische Anpassung durch USB-PD Power Delivery und QuickCharge Standards ; e.g. 10 iPad / Android tablet with 22 W each per port or 8 Surface Go 2 tablet with 24 W each per port ; USB-C® and USB-A output (22 / 30 / 45 W): DC ; 5 V / 9 V / 12 V / 15 V -> 3 A, 20 V -> 2.25 A |
| Optional accessories | <ul style="list-style-type: none"> - data and charging cable USB-C® to USB-C® - data and charging cable USB-C® to Lightning® - data and charging cable with LED display USB-A to Lightning® - data and charging cable USB-A to Lightning® - data and charging cable USB-A to USB-C® - KidsCover - EDUCOVER® |
| Lock types | combination lock |
| Connections | <ul style="list-style-type: none"> - Outside: - central power supply with protective cap - main switch - Inside: - 10 USB-A and USB-C® ports each, optional depending on the existing charging type |
| Data of currents | <ul style="list-style-type: none"> - 100 - 240 V - max. 5 A - 50/60 Hz |
| Dimension of pockets | 355 x 285 x 325 mm (+ 40 mm zusätzliche Höhe dank Kofferdeckel) |
| Color | white |

product image similar / information without content / subject to errors and changes / all dimensions in mm

PARAPROJECT®

Case TC10 EDUCOVER®+/KidsCover

Protect , Charge , Transport



- padded case lid



- storage space for 10 hard covers
- TwinCharge technology for up to 10 slots