

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: IECEx BVS 19.0049X

Page 1 of 4

Certificate history:

Status: Current

Issue No: 2

Issue 1 (2020-06-17) Issue 0 (2019-09-13)

Date of Issue: 2023-11-28

Applicant: PARAT Solutions GmbH

Gewerbegebiet Manzing 7 94065 Waldkirchen

Germany

Equipment: Torch light type PARALUX PX1 Shorty

Optional accessory:

Type of Protection: Intrinsic safety "i"; Protection of equipment and transmission systems using optical radiation

Marking:

Ex ia op is IIC T4 Ga Ex ia op is IIIC T105°C Db

IP68

Approved for issue on behalf of the IECEx Certification Body:

Dr Franz Eickhoff

Position:

Senior Lead Auditor, Certification Manager and officially recognised expert

Signature:

(for printed version)

Date:

(for printed version)

- 1. This certificate and schedule may only be reproduced in full.
- 2. This certificate is not transferable and remains the property of the issuing body.
- 3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

DEKRA Testing and Certification GmbHCertification Body
Dinnendahlstrasse 9
44809 Bochum

Germany





Certificate No.: IECEx BVS 19.0049X Page 2 of 4

Date of issue: 2023-11-28 Issue No: 2

Manufacturer: PARAT GmbH + Co. KG

Schönenbach Straße 1 94089 Neureichenau

Germany

Manufacturing locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

STANDARDS:

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

IEC 60079-0:2017 Explosive atmospheres - Part 0: Equipment - General requirements

Edition:7.0

IEC 60079-11:2011

Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"

Edition:6.0

IEC 60079-28:2015 Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation

Edition:2

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

DE/BVS/ExTR19.0059/01

Quality Assessment Report:

DE/BVS/QAR14.0001/08



Certificate No.: IECEx BVS 19.0049X Page 3 of 4

Date of issue: 2023-11-28 Issue No: 2

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

Description

The torch light type PARALUX PX1 Shorty is a handheld torch fitted with a LED lamp module and is powered by 2 AA cells. The enclosure is constructed from non-conducting polycarbonate. The torch light is suitable for use in gas group IIC and EPL Ga. It can also be used in explosive dust atmospheres group IIIC and EPL Db.

Parameters

 $\begin{array}{ll} \mbox{Maximum optical irradiance} & < 5 \mbox{ mW / mm}^2 \\ \mbox{Ambient temperature range} & T_a & -20 \mbox{ °C up to +40 °C} \end{array}$

SPECIFIC CONDITIONS OF USE: YES as shown below:

- 1. It is allowed to use only the battery types listed in the manufacturer's instructions.
- 2. The ambient temperature range is limited to -20 °C to +40 °C.



Certificate No.:	IECEx BVS 19.0049X	Page 4 of 4
Certificate No.:	IECEx BVS 19.0049X	Page 4 of

Date of issue: 2023-11-28 Issue No: 2

DETAILS OF CERTIFICATE CHANGES	(for issues 1 and above)
--------------------------------	--------------------------

Change of applicant's and manufacturer's name and location, the CoC was linked to an updated QAR