

# PARAPROJECT®

## Case N16

charge , transport , storage



Part denomination	PARAPROJECT Case N16 Charge Only, 12", white
Part number	208.440-17001
GTIN /EAN	4006793002289
Field of application	Education , Health Care
Certificates	CE / REACH / RoHS
Applicable standards	NRL 2011/65/EU / DIN EN 62368-1:2016-05. EMV 2014/35/EU / DIN EN 55022:210+AC:2011 / DIN EN 55035:2010. Rohs 2011/65/EU / DIN EN 50581:2012
Scope of delivery	<ul style="list-style-type: none"> <li>- PARAPROJECT® Case N16</li> <li>- device connection cable, EU, length: 5 m</li> <li>- network cable, length: 0.8 m</li> <li>- 8 y-adapter with IBM socket (C5, 3-pin) and 2 Euroflat socket (2-pin)</li> <li>- 8 y-adapter with Euroflat socket (2-pin) and 2 IBM socket (C5, 3-pin)</li> <li>- user guide</li> <li>- mounting hardware for access point</li> </ul>
Materials	<ul style="list-style-type: none"> <li>- ABS plastic</li> <li>- Con-Pearl®</li> </ul>
Transport	4-fold telescopic handle / 2 carrying handles / combination lock / 4 smooth-running castors ø 75 mm (with 2 lockable castors)
External dimensions (WxDxH)	720 mm x 390 mm x 550 mm
Weight	16000 g
Transport dimensions	760 mm x 420 mm x 570 mm
	18.75 kg
Dimensions of euro-pallets	1200 mm x 800 mm x 1860 mm
Number of euro-pallet	6
customs tariff number	42021250
Country of origin	RO

# PARAPROJECT®

## Case N16

charge , transport , storage

Fittings	<ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 16 storage compartments (W x D x H: 28 x 215 x 350 mm) for Tablets</li> <li>- storage compartment (W x D x H: 40 x 240 x 390 mm) for master laptop</li> <li>- storage compartment for accessories such as access point, router and/or Apple TV</li> <li>- 16 rubber loops for original power supply units</li> <li>- internal timer to set charge time limit</li> <li>- main switch</li> <li>- temperature sensor</li> <li>- 2 Schuko sockets for e.g. master laptop or access point</li> <li>- 2 xactive fanss</li> <li>- Case lid:</li> <li>- pocket with zipper, pocket with velcro fastener and push-in compartment with rubber loop</li> <li>- air vents in the lid and bottom tray</li> <li>- External technical equipment:</li> <li>- central power supply with protective cap</li> <li>- RJ 45 network socket for e.g. access point for e.g. access point</li> <li>- 4-fold telescopic handle</li> <li>- 2 carrying handles</li> <li>- combination lock</li> <li>- 4 smooth-running castors ø 75 mm (with 2 lockable castors)</li> </ul>
Compatible devices	All tablets or laptops that can be charged with their own power supply unit
Max. number of devices	16
Operating system	Android / Chrome OS / Windows
Cable types for equipment	y-adapter with IBM socket (C5, 3-pin) and 2 Euroflat socket (2-pin) ; y-adapter with Euroflat socket (2-pin) and 2 IBM socket (C5, 3-pin)
Power supply	use of customer's own power supply units
Output power per port	see original power supply unit
Optional accessories	<ul style="list-style-type: none"> <li>- Y- Adapter Kabel, 2 Euro-8-Buchse (C7, 2-polig)</li> <li>- Y adapter with 2x EURO 8 sockets</li> </ul>
Lock types	combination lock
Connections	<ul style="list-style-type: none"> <li>- outside:</li> <li>- central power supply with protective cap</li> <li>- RJ 45 network socket for e.g. access point for e.g. access point</li> <li>- inside:</li> <li>- main switch</li> <li>- 8 IBM socket (C5, 3-pin)</li> <li>- 8 y-adapter with IBM socket (C5, 3-pin) and 2 Euroflat socket (2-pin)</li> <li>- 8 y-adapter with Euroflat socket (2-pin) and 2 IBM socket (C5, 3-pin)</li> <li>- 2 Schuko sockets for e.g. master laptop or access point</li> </ul>
Data of currents	<ul style="list-style-type: none"> <li>- 100 - 240 V</li> <li>- max. 3,6 A</li> <li>- 50/60 Hz</li> </ul>
Dimension of pockets	28 x 215 x 300 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)
Dimensions of other pockets	40 x 240 x 330 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)
Color	white

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Case N16

charge , transport , storage



- storage compartments made of Con-Pearl® material



- central power supply with protective cap