

# PARAPROJECT®

## Trolley i32 PRO

Charge , Synchronisation , Transport , Storage , Flex2Connect



Part denomination	PARAPROJECT Trolley i32 PRO Charge&Sync, without cable
Part number	832.530-999
GTIN /EAN	4006793826991
Field of application	Education , Health Care
Certificates	CB / CE / GS / REACH / RoHS
Applicable standards	DIN EN 55022 / DIN EN 55035 / DIN EN 61000-3-2 / DIN EN 61000-3-3 / DIN EN 60950-1
Scope of delivery	<ul style="list-style-type: none"> <li>- PARAPROJECT® Trolley i32 PRO</li> <li>- device connection cable, CH, length: 5 m</li> <li>- data cable USB-A to USB-B, length: 1 m</li> <li>- 2 keys</li> <li>- user guide</li> </ul>
Materials	<ul style="list-style-type: none"> <li>- ABS plastic</li> <li>- powder-coated steel sheet</li> </ul>
Transport	4 smooth-running castors ø 120 mm (with 2 lockable castors) / 2 handles
External dimensions (WxDxH)	820 mm x 535 mm x 930 mm
Weight	72000 g
Transport dimensions	835 mm x 585 mm x 1100 mm
Dimensions of euro-pallets	835 mm x 585 mm x 1100 mm
Number of euro-pallet	1
customs tariff number	94037000
Country of origin	TW

# PARAPROJECT®

## Trolley i32 PRO

Charge , Synchronisation , Transport , Storage , Flex2Connect


Fittings	<ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 32 storage compartments (W x D x H: 25 x 345 x 300 mm) for iPads / tablets</li> <li>- 32 USB-A ports</li> <li>- LED status charging indicator</li> <li>- temperature sensor</li> <li>- active fans</li> <li>- Case lid:</li> <li>- drawer for master laptop and accessories (W x D x H: 525 x 290 x 40 mm)</li> <li>- External technical equipment:</li> <li>- central power supply</li> <li>- main switch</li> <li>- 2 USB-B ports for sync function</li> <li>- RJ 45 network socket for e.g. access point</li> <li>- 3 Schuko sockets</li> <li>- media well for administration</li> <li>- lockable compartment</li> <li>- 2 handles</li> <li>- retractable swing</li> <li>- lockable with padlock</li> <li>- 4 smooth-running castors ø 120 mm (with 2 lockable castors)</li> </ul>
Compatible devices	all tablets that can be charged by USB-A
Max. number of devices	32
Operating system	Android / iOS / Windows
Cable types for equipment	using customer's own USB-C® or USB-A data and charging cables
Power supply	central power supply for all devices
Output power per port	2,4 A
Optional accessories	<ul style="list-style-type: none"> <li>- data and charging cable USB-A to USB-C®</li> <li>- data and charging cable with LED display USB-A to Lightning®</li> <li>- data and charging cable USB-A to Lightning®</li> <li>- KidsCover</li> <li>- EDUCOVER®</li> </ul>
Lock types	can be locked by a padlock
Connections	<ul style="list-style-type: none"> <li>- Outside:</li> <li>- central power supply with protective cap</li> <li>- RJ 45 network socket for e.g. access point</li> <li>- USB-B port for sync function</li> <li>- 3 Schuko sockets</li> <li>- main switch</li> <li>- Inside:</li> <li>- 32 USB-A ports for Flex2Connect</li> <li>- patch cable with RJ 45 plug</li> </ul>
Data of currents	<ul style="list-style-type: none"> <li>- 100 - 240 V</li> <li>- max. 12 A</li> <li>- 50/60 Hz</li> </ul>
Dimension of pockets	25 x 345 x 300 mm
Dimensions of other pockets	505 x 290 x 40 mm
Color	white

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Trolley i32 PRO

Charge , Synchronisation , Transport , Storage , Flex2Connect



- master switch (on/off-switch)
- network connector (RJ 45)
- 2x USB 2.0 type B socket
- 3x SCHUKO socket outlet with on /off-switch



- 2x 16 USB 2.0 type A
- 1x patch cable with RJ 45 plug