

# PARAPROJECT®

## Cube C12

Protect , Charge , Transport



Part denomination	PARAPROJECT Cube C12 incl. Lightning®-Kabel
Part number	990701999
GTIN /EAN	4006793003347
Field of application	Education
Certificates	GS / REACH / RoHS
Applicable standards	CE/EMC: EN62368.1 / IEC62368.1
Scope of delivery	<ul style="list-style-type: none"> <li>- PARAPROJECT® Cube C12</li> <li>- device connection cable, EU, length: 2 m</li> <li>- 12 data and charging cable USB-C® to Lightning®</li> <li>- 2 keys</li> <li>- user guide</li> </ul>
Materials	<ul style="list-style-type: none"> <li>- powder-coated steel sheet</li> <li>- ABS plastic</li> </ul>
External dimensions (WxDxH)	500 mm x 452 mm x 390 mm
Weight	1750 g
Transport dimensions	600 mm x 490 mm x 530 mm
Dimensions of euro-pallets	1200 mm x 800 mm x 1860 mm
Number of euro-pallet	6
customs tariff number	94037000
Country of origin	CN
Fittings	<ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 12 storage compartments (W x D x H: 32 x 350 x 290 mm) for iPad/tablets</li> <li>- 12 USB-C® ports</li> <li>- 12 data and charging cable USB-C® to Lightning®</li> <li>- LED charging status indicator</li> <li>- temperature sensor</li> <li>- active fans</li> <li>- External technical equipment:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- handle recesses on both sides</li> <li>- barrel lock</li> <li>- lockable plastic roller shutter</li> <li>- floor gliders</li> </ul>
Compatible devices	All iPad from generation 4, as well as mini
Max. number of devices	12
Operating system	iOS

# PARAPROJECT®

## Cube C12

Protect , Charge , Transport


Cable types for equipment	data and charging cable USB-C® to Lightning®
Power supply	central power supply
Output power per port	automatic adjustment via USB-PD Power Delivery and QuickCharge standards ; e.g. 12 iPad / Android tablet with 45 W per port ; USB-C® output ; 5 V / 9 V / 10V / 12 V /15 V -> 3 A; 20 V -> 2,25 A
Optional accessories	- data and charging cable USB-C® to USB-C® - wall holder 990624999
Lock types	barrel lock
Connections	- outside: - central power supply with protective cap - main switch - inside: - 12 USB-C® ports each
Data of currents	- 100 - 240 V - max. 8 A
Dimension of pockets	32 mm x 350 mm x 290 mm
Color	grey

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Cube C12

Protect , Charge , Transport



- central on/off switch
- active ventilation
- central device connection and overvoltage protection