


PARAPROJECT®

Case N10

charging , transport , storage



Part denomination	PARAPROJECT Case N10 Charging Only for Laptops Up to 15.6"
Part number	208.420-151
GTIN /EAN	4006793806917
Field of application	Education , Health Care
Certificates	CE / REACH / RoHS
Applicable standards	DIN EN 60950-1 / DIN EN 55022 / DIN EN 55035
Scope of delivery	<ul style="list-style-type: none"> - PARAPROJECT® Case N10 - device connection cable, EU, length: 5 m - 5 y-adapter with 2 x Euro-8 sockets (C7, 2-pin) - 5 y-adapter with 2x IBM sockets (C5, 3-pin) - user guide
Materials	<ul style="list-style-type: none"> - aluminium - Con-Pearl® - X-ABS plastic
Transport	4-fold telescopic handle / 2 carrying handles / combination lock / 4 rou4 smooth-running castors ø 75 mm (with 2 lockable castors)
External dimensions (WxDxH)	720 mm x 390 mm x 550 mm
Weight	14000 g
Transport dimensions	760 mm x 420 mm x 570 mm
Dimensions of euro-palettts	1200 mm x 800 mm x 1860 mm
Number of euro-pallet	6
customs tariff number	42021250
Country of origin	RO

PARAPROJECT®

Case N10

charging , transport , storage


Fittings	<ul style="list-style-type: none"> - Interior technical equipment: - 10 storage compartments (W x D x H: 40 x 285 x 390 mm) for tablets or laptops - storage compartment for accessories such as access point, router and/or Apple TV - 10 rubber loops for original power supply units - internal timer to set charge time limit - main switch - Schuko sockets for e.g. master laptop or access point - Case lid: - pocket with zipper, pocket with velcro fastener and push-in compartment with rubber loop - air vents in the lid and bottom tray - External technical equipment: - central power supply with protective cap - 4-fold telescopic handle - 2 carrying handles - combination lock - 4 smooth-running castors \varnothing 75 mm (with 2 lockable castors)
Compatible devices	All tablets or laptops up to 15,6" that can be charged with their own power supply unit , chromebooks , laptops
Max. number of devices	10
Operating system	Chrome OS / macOS / Windows
Cable types for equipment	y-adapter with 2 Euro-8 sockets (C7, 2-pin) ; y-adapter with 2 IBM sockets (C5, 3-pin)
Power supply	use of customer's own power supply units
Output power per port	2,4 A
Optional accessories	- y-adapter with 2 Euroflat sockets (2-pin)
Lock types	combination lock
Connections	<ul style="list-style-type: none"> - outside: - central power supply with protective cap - inside: - main switch - 5 IBM socket (C5, 3-pin) - 5 y-adapter with 2 Euro-8 sockets (C7, 2-pin) - 5 y-adapter with 2 IBM sockets (C5, 3-pin) - Schuko sockets for e.g. master laptop or access point
Data of currents	<ul style="list-style-type: none"> - 100 - 240 V - max.10 A - 50/60 Hz
Dimension of pockets	40 x 285 x 390 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)
Dimensions of other pockets	45 x 220 x 260 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)
Color	black

product image similar / information without content / subject to errors and changes / all dimensions in mm

PARAPROJECT®

Case N10

charging , transport , storage



- 10x storage compartment
for laptops up to 15,6"



- Charge (Switch On/Off)