

# PARAPROJECT®

## Case UC20 UltraCharge

Protect , Charge , Transport



Part denomination	PARAPROJECT Case UC20 UltraCharge without cable
Part number	208700151
GTIN /EAN	4006793003071
Field of application	Education
Certificates	CE / REACH / RoHS
Applicable standards	DIN EN 60950-1 / DIN EN 55022 / DIN EN 55035
Scope of delivery	- PARAPROJECT® Case UC20 UltraCharge - device connection cable, EU, length: 5 m - user guide
Materials	- X-ABS plastic - aluminium - Con-Pearl®
Transport	4-fold telescopic handle / 2 carrying handles / 4 smooth-running castors ø 75 mm (with 2 lockable castors)
External dimensions (WxDxH)	720 mm x 390 mm x 550 mm
Weight	19000 g
Transport dimensions	760 mm x 420 mm x 570 mm
Dimensions of euro-pallets	1200 mm x 800 mm x 1860 mm
Number of euro-pallet	6
customs tariff number	85044083
Country of origin	RO

# PARAPROJECT®

## Case UC20 UltraCharge

Protect , Charge , Transport


Fittings	<ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 20 storage compartments (W x D x H: 28 x 205 x 330 mm) for iPad/tablets</li> <li>- storage compartment for accessories such as access point, router and/or Apple TV</li> <li>- 20 USB-C® ports</li> <li>- 20 LED charging status indicator</li> <li>- temperature sensor</li> <li>- 2 active fans</li> <li>- Case lid:</li> <li>- pocket with zipper, pocket with velcro fastener and push-in compartment with rubber loop</li> <li>- air vents in the lid and bottom tray</li> <li>- External technical equipment:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- 4-fold telescopic handle</li> <li>- 2 carrying handles</li> <li>- combination lock</li> <li>- 4 smooth-running castors ø 75 mm (with 2 lockable castors)</li> </ul>
Compatible devices	all tablets / chromebooks / ultrabooks up to 12" / MacBook Air 13.3"
Max. number of devices	20
Operating system	iOS / Android / Windows
Cable types for equipment	using customer's own USB-C® or USB-A data and charging cables
Power supply	central power supply for all devices
Output power per port	automatic adjustment via USB-PD Power Delivery and QuickCharge standards ; supports "fast charging" ; e.g. 20 Surface Go2 10,5" tablet with 24 W each per Port or 20 x iPad Pro / Air (with USB-C) with 22 W each per port; 20 MacBook Air 13,3" with up to 30 W each per port ; 5 V / 9 V / 10 V / 12 V / 15 V -> 3 A, 20 V -> 2.25 A ; 5,9,10,12,15V/3A; 20V/2.25A
Optional accessories	<ul style="list-style-type: none"> <li>- data and charging cable USB-C® to USB-C®</li> <li>- data and charging cable USB-C® to Lightning®</li> </ul>
Lock types	combination lock
Connections	<ul style="list-style-type: none"> <li>- Outside:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- Inside:</li> <li>- 20 USB-C® ports each</li> </ul>
Data of currents	<ul style="list-style-type: none"> <li>- 100 - 240 V</li> <li>- max. 10 A</li> </ul>
Dimension of pockets	28 x 205 x 310 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)
Color	black

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Case UC20 UltraCharge

Protect , Charge , Transport



- integrated temperature sensor protects from overheating
- automatic switch-off of charging function at a temperature over 50°C inside the case



- UltraCharge charging unit with up to 20 slots
- charging indicator