

# PARAPROJECT®

## Trolley C30

Protect , Transport , Charge



|                             |   |
|-----------------------------|---|
| Part denomination           | PARAPROJECT Trolley C30 incl. Lightning®-Kabel  |
| Part number                 | 830710999   |
| GTIN /EAN                   | 4006793003323   |
| Field of application        | Education   |
| Applicable standards        | CE/EMC: EN62368.1 / IEC62368.1  |
| Scope of delivery           | <ul style="list-style-type: none"> <li>- PARAPROJECT® Trolley C30</li> <li>- device connection cable, EU, length: 1 m</li> <li>- 10 USB-C® data and charging cable extension, length: 1 m</li> <li>- 30 data and charging cable USB-C® to Lightning®</li> <li>- 4 keys</li> <li>- user guide</li> </ul> |
| Materials                   | - powder-coated steel sheet   |
| Transport                   | 4 smooth-running castors ø 70 mm (with 2 lockable castors) / folding handle   |
| External dimensions (WxDxH) | 532 mm x 503 mm x 1112 mm   |
| Weight                      | 67000 g   |
| Transport dimensions        | 550 mm x 520 mm x 1175 mm   |
|                             | 75 kg   |
| Dimensions of euro-pallets  | 1200 mm x 800 mm x 1860 mm  |
| Number of euro-pallet       | 1   |
| customs tariff number       | 94037000  |
| Country of origin           | TW  |

# PARAPROJECT®

## Trolley C30

Protect , Transport , Charge

|                           |   |
|---------------------------|---|
| Fittings                  | <ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 30 storage compartments (W x D x H: 31 x 300 x 270 mm) for iPads / tablets</li> <li>- automatic adjustment of charging power through USB-PD Power Delivery and QuickCharge standards</li> <li>- 30 USB-C® ports</li> <li>- 30 data and charging cable USB-C® to Lightning®</li> <li>- OLED display</li> <li>- LED status charging indicator</li> <li>- charging timer</li> <li>- temperature sensor</li> <li>- active fan</li> <li>- External technical equipment:</li> <li>- central power supply</li> <li>- main switch</li> <li>- 2 Schuko sockets</li> <li>- folding handle</li> <li>- barrel lock</li> <li>- 4 smooth-running castors ø 70 mm (with 2 lockable castors)</li> </ul> |
| Compatible devices        | All tablets / chromebooks / ultrabooks up to 14" that can be charged by USB-C®  |
| Max. number of devices    | 30  |
| Operating system          | iOS   |
| Cable types for equipment | data and charging cable USB-C® to Lightning®  |
| Power supply              | central power supply for all devices  |
| Output power per port     | automatic adjustment via USB-PD Power Delivery and QuickCharge standards ; supports "quick charging" ; e.g. 30 iPad / Android tablet with 60 W each per port ; USB-C® output ; 5 V / 9 V / 10 V / 12 V / 15 V / 20 V -> 3 A   |
| Optional accessories      | - data and charging cable USB-C® to USB-C®  |
| Lock types                | barrel lock   |
| Connections               | <ul style="list-style-type: none"> <li>- outside:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- 2 Schuko socket</li> <li>- Inside:</li> <li>- 30 USB-C® ports</li> </ul>  |
| Data of currents          | <ul style="list-style-type: none"> <li>- 100 - 240 V</li> <li>- max. 16 A</li> </ul>  |
| Dimension of pockets      | 31 x 328 x 250 mm   |
| Color                     | black   |

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Trolley C30

Protect , Transport , Charge



- with 30 USB-C ports
- max. power per port: 60 W



- incl. charging timer
- incl. LED status charging indicator
- Monitoring of the USB-C ports through OLED display