


PARAPROJECT®

Cube U10

Charge , Synchronisation , Storage



Part denomination	PARAPROJECT Cube U10 includes USB-A to USB-C® cable with LED, 0,3 m
Part number	990592999
GTIN /EAN	4006793936997
Field of application	Education , Health Care
Certificates	CB / CE / GS / REACH / RoHS
Applicable standards	DIN EN 55022 / DIN EN 55035 / DIN EN 61000-3-2 / DIN EN 61000-3-3
Scope of delivery	<ul style="list-style-type: none"> - PARAPROJECT® Cube U10 - device connection cable, EU, length: 1,80 m - data cable USB-A to USB-B, length: 1 m - 10 data and charging cable USB-A to USB-C®, length: 0,4 m - theft protection incl. mounting material - user guide
Materials	<ul style="list-style-type: none"> - powder-coated steel sheet - ABS plastic / PMMA
Transport	2 integrated grips on both sides /
External dimensions (WxDxH)	400 mm x 350 mm x 425 mm
Weight	1500 g
Transport dimensions	515 mm x 465 mm x 555 mm
Dimensions of euro-pallets	1200 mm x 800 mm x 1254 mm
Number of euro-pallet	6
customs tariff number	94037000
Country of origin	TW
Fittings	<ul style="list-style-type: none"> - Interior technical equipment: - 6 / 8 / 10 storage compartments (W x D x H: 28 / 37 / 52 x 250 x 280 mm) for iPads / tablets (with protective cover) - 10 USB-A ports - 10 data and charging cable USB-A to USB-C® - temperature sensor - active fans - External technical equipment: - central power supply with protective cap - main switch - ventilation openings on the side compartments and door - handle recesses on both sides - combination lock - cover panel made from steel
Compatible devices	All tablets that can be charged by USB-A

PARAPROJECT®

Cube U10

Charge , Synchronisation , Storage


Max. number of devices	10
Operating system	Android / Windows
Cable types for equipment	data and charging cable USB-A to USB-C®
Power supply	central power supply unit provides power for all devices
Output power per port	2,4 A
Optional accessories	- data and charging cable USB-A® to Lightning® - data and charging cable with LED display USB-A to Lightning® - wall holder 990575999
Lock types	combination lock
Connections	- Outside: - central power supply with protective cap - USB-B port - main switch - Inside: - 10 USB-A ports
Data of currents	- 100 - 240 V - max. 2 A - 50/60 Hz
Dimension of pockets	28 / 37 / 52 x 250 x 280 mm
Color	white

product image similar / information without content / subject to errors and changes / all dimensions in mm

PARAPROJECT®

Cube U10

Charge , Synchronisation , Storage



- rear panel with connections
for power supply,
synchronization via USB
type B connector



- retractable panel with
integrated combination lock