

# PARAPROJECT®

## Case TC16

Protect , Charge , Transport



Part denomination	PARAPROJECT Case TC16 TwinCharge, includes USB-C® to USB-C® cable with LED, 1.2 m
Part number	20872215116
GTIN /EAN	4006793003378
Field of application	Education
Certificates	CE / REACH / RoHS
Applicable standards	DIN EN 60950-1 / DIN EN 55022 / DIN EN 55035
Scope of delivery	<ul style="list-style-type: none"> <li>- PARAPROJECT® Case TC16 with integrated TwinCharge modules technology</li> <li>- device connection cable, EU, length: 5 m</li> <li>- 4 TwinCharge modules with USB-A and USB-C® ports</li> <li>- 16 data and charging cable USB-C® to USB-C®</li> <li>- user guide</li> </ul>
Materials	<ul style="list-style-type: none"> <li>- X-ABS plastic</li> <li>- aluminium</li> <li>- Con-Pearl®</li> <li>- industrial leather</li> </ul>
Transport	4-fold telescopic handle / 2 carrying handles / combination lock / 4 smooth-running castors ø 75 mm (with 2 lockable castors)
External dimensions (WxDxH)	720 mm x 390 mm x 550 mm
Weight	15000 g
Transport dimensions	760 mm x 420 mm x 570 mm
Dimensions of euro-pallets	1200 mm x 800 mm x 1860 mm
Number of euro-pallet	6
customs tariff number	85044083
Country of origin	RO

# PARAPROJECT®

## Case TC16

Protect , Charge , Transport

Fittings	<ul style="list-style-type: none"> <li>- Interior technical equipment:</li> <li>- 16 storage compartments (W x D x H: 24 x 255 x 330 mm) for iPad/tablets</li> <li>- 4 TwinCharge modules, automatic adjustment via USB-PD Power Delivery and QuickCharge standards</li> <li>- 20 USB-A and USB-C® ports each</li> <li>- 16 data and charging cable USB-C® to USB-C®</li> <li>- temperature sensor</li> <li>- overvoltage protection</li> <li>- Case lid:</li> <li>- pocket with zipper, pocket with velcro fastener and mounting option for e.g. access point</li> <li>- air vents in the lid and bottom tray</li> <li>- External technical equipment:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- 4-fold telescopic handle</li> <li>- 2 carrying handles</li> <li>- combination lock</li> <li>- 4 smooth-running castors ø 75 mm (with 2 lockable castors)</li> </ul>
Compatible devices	All tablets that can be charged by USB-C® or USB-A
Max. number of devices	16
Operating system	iOS / Android / Windows
Cable types for equipment	data and charging cable USB-C® to USB-C®
Power supply	4 TwinCharge modules for the complete power supply of devices
Output power per port	automatic adjustment via USB-PD Power Delivery and QuickCharge standards ; e.g. 16 iPad / Android tablet or Surface Go 2 tablet each with 24 W each per port ; USB-C® and USB-A output (22 / 30 / 45 W): DC ; 5 V / 9 V / 12 V / 15 V -> 3 A, 20 V -> 2.25 A
Optional accessories	<ul style="list-style-type: none"> <li>- data and charging cable USB-C® to USB-C®</li> <li>- data and charging cable USB-C® to Lightning®</li> <li>- data and charging cable with LED display USB-A to Lightning®</li> <li>- data and charging cable USB-A to Lightning®</li> <li>- data and charging cable USB-A to USB-C®</li> </ul>
Lock types	combination lock
Connections	<ul style="list-style-type: none"> <li>- Outside:</li> <li>- central power supply with protective cap</li> <li>- main switch</li> <li>- Inside:</li> <li>- 20 USB-A and USB-C® ports each, optional depending on the existing charging type</li> </ul>
Data of currents	<ul style="list-style-type: none"> <li>- 100 - 240 V</li> <li>- max. 10 A</li> <li>- 50/60 Hz</li> </ul>
Dimension of pockets	24 x 255 x 310 mm (+ 50 mm zusätzliche Höhe dank Kofferdeckel)
Color	black

product image similar / information without content / subject to errors and changes / all dimensions in mm

# PARAPROJECT®

## Case TC16

Protect , Charge , Transport



- - 16 compartments for tablets
- - TwinCharge technology (16 x USB-A or 16 x USB-C ports can be used)



- incl. 16x USB-C to USB-C cables